



**Summary of Substantive Changes
between the 2006 and the 2014 editions of
ASME A112.19.12, “Wall Mounted, Pedestal Mounted, Adjustable, Elevating,
Tilting, and Pivoting Lavatory, Sink, and Shampoo Bowl Carrier Systems and
Drain Waste Systems”**

Presented to the IAPMO Standards Review Committee on April 13, 2015

General: The changes to this standard might have an impact on currently listed products. The substantive changes are:

- Updated the referenced standards specified for required compliance of fixtures and flexible connectors (see Section 2.3).
- Added an alternative requirement for the compliance of cable eyes (see Section 2.4.2).

Section 2.3, Sink, Lavatory, or Shampoo Bowl Fixtures and Flexible Water Supply Connectors: Updated the referenced standards specified for required compliance of fixtures and flexible connectors as follows:

The sink, lavatory, or shampoo bowl fixtures and flexible water supply connectors shall comply with the applicable product standard(s) regarding materials, manufacture, and installation. These include ~~those~~ the following (also listed in para. 1.3)

~~(a) ANSI Z124.3~~

~~(b) ANSI Z124.6~~

~~(c)~~ (a) ASME A112.18.2/CSA B125.2

~~(d)~~ (b) ASME A112.18.6/CSA B125.6

~~(e)~~ (c) ASME A112.19.1/CSA B45.2

~~(f)~~ (d) ASME A112.19.2/CSA B45.1

~~(g)~~ (e) ASME A112.19.3~~A~~/CSA B45.4

(f) CSA B45.5/IAPMO Z124

~~(h) ASME A112.19.4M~~

~~(i) ASME A119.19.9M~~

Section 2.4.2, Telescoping Tailpiece Waste System Linkage Material: Added an alternative requirement for the compliance of cable eyes as follows:

Linkage materials that contain stainless steel cables shall comply with Fed Spec RR-W-410. Cable eyes shall be constructed from 300 Series stainless steel and not to break under a load of 480 lb (217.7 kg), or comply with Mil Spec 20668.